



Terminals & Splices > Automotive Terminals > MCON Receptacle and Tab



Terminal Type: **Receptacle**
Mating Tab Width: **1.2 mm [.047 in]**
Mating Tab Thickness: **.6 mm [.024 in]**
Terminal Transmits: **0 – 24 A (Low Power)**
Wire Size: **20 – 18 AWG**

[All MCON Receptacle and Tab \(100\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Clean Body

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	1.2mm
Contact Fabrication	Stamped & Formed
Typical Current Rating	11.75 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1.2 mm[.047 in]
Mating Tab Thickness	.6 mm[.024 in]
Interface Plating	Silver (Ag)

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To

Wire

Dimensions

Compatible Insulation Diameter Range	1.4 – 1.9 mm[.055 – .075 in]
Wire Size	.5 – .75 mm ²
Wire Size Search	18 AWG, 19 AWG, 20 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	6500
Packaging Method	Reel

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1579007-8 EXTRACTION TOOL	 TE Part # 2098557-1 2POS, MCON 1.2 CB REC 2p TL SEALED	 TE Part # 1-1456426-1 4POS, MCON 1.2 CB REC 2p TL SEALED	 TE Part # 1924292-5 6POS, MCON 1.2 CB REC 2p TL SEALED
 TE Part # 964972-1 EINZELLEITERDICHTNG	 TE Part # 2098582-1 WIRE SEAL,RUBBER,SENSOR, RED	 TE Part # 967067-1 MQS SGL WIRE SEAL	 TE Part # 967067-2 MQS EINZELLEITDICHT
 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 2141116-3 MCON 1.2 CB TAB SWS AG	 TE Part # 1-1579007-0 EXTRACTION TOOL	 TE Part # 8-1579008-4 EXTRACTION TOOL
 TE Part # 1-2203773-3 Plug Ass'y, 4P Sealed, Key C, CPA	 TE Part # 1-2203771-1 3POS, MCON 1.2 CB REC 1p TL SEALED	 TE Part # 1-2203771-2 Plug Ass'y, 3P Sealed, Key B, CPA	 TE Part # 2098541-2 3POS, MCON 1.2 CB REC 2p TL SEALED



TE Part # 2098557-4
2POS, MCON 1.2 CB REC 2p TL
SEALED

TE Part # 4-2098541-1
3POS, MCON 1.2 CB REC 2p TL
SEALED

TE Part # 1488992-5
3POS, MCON 1.2 CB REC 2p SL
SEALED

TE Part # 4-1488991-1
3POS, MCON 1.2 CB REC 2p TL
SEALED

Also in the Series | MCON Interconnection System

Automotive Connector Caps & Covers
(24)

Automotive Connector Locks &
Position Assurance(11)

Automotive Housings(315)

Automotive Seals & Cavity Plugs(5)

Automotive Terminals(118)

Insertion & Extraction Tools(31)

Other Automotive Connector
Accessories(7)

PCB Headers & Receptacles(1)

Customers Also Bought

TE Part #1488991-6
3POS, MCON 1.2 CB REC 2p TL
SEALED

TE Part #967067-1
MQS SGL WIRE SEAL

TE Part #2309644-3
30P NANOMQS/US050 LL CONN, W
/CPA, KEY C

TE Part #178448-1
EJ-II DBL LOCK 2POS PLUG ASSY

TE Part #2272164-1
MCON WIRE DRESS, 3P, STRAIGHT

TE Part #2272169-1
MCON WIRE DRESS, 2P PLUG, RIGHT
ANGLE

TE Part #2272163-1
MCON WIRE DRESS, 4P, RIGHT
ANGLE

TE Part #2272975-5
6 Pos. Sealed MCON 1.2 Connect



Documents

Product Drawings

MCON 1.2 CB REC SWS AG

German

MCON 1.2 CB REC SWS AG

English

CAD Files

Customer View Model

ENG_CVM_1670146-3_F2.3d_igs.zip

English

Customer View Model

ENG_CVM_1670146-3_F2.3d_stp.zip

English

Customer View Model

ENG_CVM_1670146-3_F2.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

MCON Interconnection System

English

Product Specifications

Application Specification

English

Application Specification

English

Application Specification

English