

Fuse-link, high speed, 80 A, DC 750 V, compact size 1, 43 x 60 x 212 mm, gR, IEC, with indicator

170E3584

Similar to illustration

General specifications	
Product name	Eaton Bussmann series high speed traction fuse
Part no.	170E3584
EAN	5996516006382
Product Length/Depth	129 millimetre
Product height	61 millimetre
Product width	43 millimetre
Product weight	942 gram
Compliances	IEC
Certifications	Contact factory
Product Tradename	None
Product Type	High speed traction fuse
Product Sub Type	None
Electrical data	
Amperage Rating	80 A
Voltage rating	750 V
Interrupt rating	100 kAIC
Product specifications	
Application	traction
Fuse indicator	Other
Fuse size	1*

Technical data ETIM 9.0

Technical data Linvi 5.0					
Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)					
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss13-27-14-20-90 [BAB264016])					
Fuse system according to IEC 60269			Other		
Fuse construction type according to IEC 60269			Other		
Type of current			DC		
Rated voltage AC		V			
Rated voltage DC		V	750		
Rated current		Α	80		
Utilization category			gR (general purpose semiconductor protection)		
Breaking capacity		kA	100		
Colour code			None		
Type of fuse status indicator			Other		
Power loss at rated current		W	13		
Mounting holes			M8		
Centre-to-centre distance of connections		mm	156		