




Automotive Parts > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: **Socket**
Wire Size: **17 – 13 AWG**
Interface Plating: **Tin (Sn)**
Primary Locking Feature: **Locking Lance**

All ROUND CONNECTOR SYSTEM, PIN AND SOCKET (46)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	Yes

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Typical Current Rating	34 A
Crimp Type	F-Crimp
Contact Size	1.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Socket
Interface Plating	Tin (Sn)
Mating Pin Diameter	1.5 mm[.059 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.2 – 3 mm[.086 – .118 in]
Wire Size	17 – 13 AWG
Wire Size Search	1 mm², 1.25 mm², 1.5 mm², 2 mm², 2.5 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	3800

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 5-2151345-1 OCEAN_2.0_APPLICATOR-S-100F170O-RSM	 TE Part # 5-2151345-2 OCEAN_2.0_APPLICATOR-S-100F170O-RSA	 TE Part # 2151345-2 OCEAN_2.0_APPLICATOR-S-100F170O-RSA	 TE Part # 1337352-1 E3 RECEPTACLE CONN. ASSY.
 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 7-2266057-7 OC-100F170O-752-CRIMPTOOLINGKIT	 TE Part # 7-2151345-7 OCEAN_2.0_SPARE_PART_KIT-100F170O	 TE Part # 2151345-1 OCEAN_2.0_APPLICATOR-S-100F170O-RSM
 TE Part # 965880-1 1,5MM BU VORSTANZST	 TE Part # 58606-2 PC DIE 1.5 & 2.5 PIN W/S	 TE Part # 828905-1 SINGLE-WIRE-SEAL(5MM HOLE)	 TE Part # 58606-1 PROCrimp 1.5 & 2.5MM PIN/SEAL
 TE Part # CAT-C4962-CH8172 Circular DIN Housings			

Also in the Series | Round Connector System




Automotive Housings(24)



Automotive Seals & Cavity Plugs(4)




Automotive Signal & Power Connector Housings(6)



Other Automotive Connector Accessories(29)


Customers Also Bought




TE Part #776428-2
AS16,CAP ASSY,ST,02P,N SEAL,CODE B



TE Part #965786-1
ABDECKKAPPE 180GRD




TE Part #965839-1
4MM PIN CONTACT




TE Part #CAT-C4962-CH8172
Circular DIN Housings



TE Part #6-1633964-6
CRIMPER, INSULATION OV PREMIUM



TE Part #5-2176316-2
MELF SMA_A 1K5 1% 50PPM 0207 1W



TE Part #6-2176316-9
MELF SMA_A 39K 1% 50PPM 0207 1W

Documents

Product Drawings
1,5MM SOCK CONTACT

English

CAD Files
Customer View Model
ENG_CVM_CVM_929990-1_K.2d_dxf.zip

English

3D PDF

3D

Customer View Model
ENG_CVM_CVM_929990-1_K.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_929990-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Product Specifications

Application Specification

German

Application Specification

English

Application Specification

English

Application Specification

English