Fuse-link, high speed, 20 A, AC 690 V, 10 x 38, gR, IEC, UL



FWP-20G10F

General specifications	
Product name	Eaton Bussmann series high speed cylindrical fuse
Part no.	FWP-20G10F
EAN	5027590500340
Product Length/Depth	38 millimetre
Product height	10 millimetre
Product width	10 millimetre
Product weight	7.6 gram
Compliances	CE Marked RoHS Compliant
Certifications	UL Recognized IEC Rated
Product Tradename	None
Product Type	High speed cylindrical fuse
Product Sub Type	None
Electrical data	
Amperage Rating	20 A
Voltage rating	500 V
Voltage type	AC/DC
Interrupt rating	200 kAIC
Class	Class gR
Clearing (I2T)	200
Product specifications	
Application	Semiconductor, DC Common bus, DC drives, Power converters/rectifiers
Fuse indicator	Other
Fuse size	10 x 38 mm
Compatible microswitch	
Accessories	CHM modular fuse holder

Technical data ETIM 9.0

Circuit breakers and fuses (EG000020) / Cylindrical fuse (EC002704)		
Electric engineering, automation, process control engineering / Electrical installation,	device / Safety fuse i	nserts / Cylindrical fuse (safety fuse) (ecl@ss13-27-14-20-02 [AFZ797018])
Model		Ceramic fuse
Size		10x38 mm
Voltage type		AC/DC
Rated current	Α	20
Rated voltage	V	500
Utilization category		Other
Rated operating frequency	Hz	45 - 62
Type of fuse status indicator		Other
Release characteristic		Other
Breaking capacity	kA	200
Power loss at rated current	W	5.35