# Eaton FWP-80G22F

# Catalog Number: FWP-80G22F

Eaton Bussmann series FWP high speed fuse, 690V, 80A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end

#### General specifications

**Product Name** Catalog Number Eaton Bussmann series high speed FWP-80G22F cylindrical fuse UPC EAN 5027590501156 58 mm **Product Height** 22 mm 22 mm Product Weight Warranty 52 g Compliances

CE Marked **RoHS** Compliant 051712689724 Product Length/Depth **Product Width** 

No warranty

Certifications

**UL** Recognized IEC Rated



# **Product specifications**

#### Fuse indicator

Other

Interrupt rating

200 kAIC

#### Construction size

22 mm x 58 mm

Clearing (I2T)

5448

#### Connection

Ferrule end x ferrule end

Material

Ceramic

#### Release characteristic

Other

### Amperage Rating

80 A

#### Frequency rating - max

62 Hz

#### Utilization category

gR (general purpose semiconductor protection)

#### Watt losses

14 W

# Fuse type

FWP-G22F

# Accessories

CH22 Modular fuse holder

#### Туре

High speed fuse

#### Fuse shape

Cylindrical

## Breaking capacity

200 kA

#### Fuse size

22 x 58 mm

Frequency rating - min

# Resources

#### Catalogs

IEC high speed fuse links Bussmann series complete full line catalog no. 1007

Compliance information CE High-speed, cylindrical gR fuse-links

UKCA High-speed, cylindrical gR fuse-links

Specifications and datasheets Eaton Specification Sheet - FWP-80G22F

Technical data sheets 10469 22 x 58 mm gR cylindrical fuse links

#### 45 Hz

#### Class

Class gR

Pre arc (I2T)

1092

#### Voltage rating

690 V

#### Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

# Voltage type

AC

#### Packaging type

Standard



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Right Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia