# HPP809A031 <

### MEAS | MEAS HTM2500LF

TE Internal #: HPP809A031 TE Internal Description: RH/T HTM2500LF TRANSDUCER Humidity Temperature Transducer

#### View on TE.com >



Sensors > Humidity Sensors > Humidity Sensor Assemblies > Humidity Temperature Transducer



Humidity Sensor Product Type: RHT Module Supply Voltage (Peak): 12 VDC Operating Temperature Range: -40 – 85 °C Accuracy: ±3 %RH Nominal Output @55%RH (at 5 VDC): 2.48 V

All Humidity Temperature Transducer (2)

## Features

### **Product Type Features**

Humidity Sensor Product Type

Interface Signal Type

RHT Module

Analog

### **Electrical Characteristics**

Supply Voltage (Peak)	12 VDC		
Nominal Output @55%RH (at 5 VDC)	2.48 V		
Current Consumption	1 mA		
Output Impedance	70 Ω		
Usage Conditions			
Humidity Operating Range	0 – 100 %RH		
Operating Temperature Range	-40 – 85 °C		
Accuracy	±3 %RH		
Temperature Coefficient	.1 %RH/°C		
Sensitivity	26 mV/%RH		
Other			
Response Time	10 seconds		



# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: 4,4'-isopropylidenediphenol (Bisphenol A) (1% in component) Dodecamethylcyclohexasiloxane (D6) (.5% in component) Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) (.5% in component) Aticle Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




# Also in the Series | MEAS HTM2500LF

**&** For support call+1 800 522 6752

RH/T HTM2500LF TRANSDUCER





# Customers Also Bought



TE Part #AAF1146-00 BTH3-15-10-1-C-SE TE Part #20026082-00 PT100,TEP,SENSOR,SS316,HEX,HSG TE Part #2221682-1 Fas-T Prot. Cover, Ratchet Style, Plug

# Documents

## **CAD** Files

#### 3D PDF

3D

**Customer View Model** 

### ENG\_CVM\_CVM\_HPP809A031\_D.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_HPP809A031\_D.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_HPP809A031\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages HTM2500LF-HUMIDITY

English

**C** For support call+1 800 522 6752

HPP809A031

RH/T HTM2500LF TRANSDUCER

